



THE
DOGGETT
CORPORATION

Arbor

20-0-6

Slow Release With Minor Elements

A specialty fertilizer blended specifically for application on trees and ornamentals in the practice of professional arboriculture.

A true concentrated liquid for easy mixing & application. For root injection, soil drench, or foliar spray application. This solution has a low salt index and is compatible with fungicides & pesticides.

Mixing rates:

1.25 gallons (1/2 jug) 100 gallons

2.5 gallons (1 jug) 200 gallons

5 gallons (2 jugs) 400 gallons

Application rates:

90% of the fine feeder roots are in the top 12 inches of soil, with most of those in the first 6 inches. Start your application approximately 2 to 4 feet from the root flare and extend to beyond the drip line. The soil should be inoculated with a root probe going 4 to 6 inches deep from a power rig set at approximately 150 to 200 PSI, depending upon the porosity or density of the soil. The root area of the tree should be injected in a grid or in concentric circles spacing 3 feet apart. Inject approximately 1/2 gallon of solution per injection site. Based on the 3 feet spacing this should put around 150 gallons over 2,000 sq. ft.. Site and soil conditions vary, so adjust your application accordingly. Shake before using.

TRUNK RATE OF APPLICATION Apply the solution at a rate of 5 gallons per inch of trunk diameter.

Guaranteed Analysis:

Total Nitrogen (N).....20.0%

10% Urea Nitrogen*

10% Slowly Available Water Soluble Nitrogen*

Soluble Potash (K₂O)..... 60%

Copper (Cu).... 0.03%

0.03% Chelated Copper (Cu)

Iron (Fe)..... 0.06%

0.06% Chelated Iron (Fe)

Manganese (Mn)..... 0.03%

0.03% Chelated Manganese (Mn)

Zinc (Zn) 0.03%

0.03% Chelated Zinc (Zn)

Derived from: Urea Triazone, Urea, Potassium Carbonate, Potassium Thiosulfate, Copper EDTA, Iron EDTA, Manganese EDTA, Zinc EDTA.

*10.0% Slowly Available Nitrogen from Urea Triazone

KEEP FROM FREEZING

2.5 Gallons per jug, Net Wt. 26.25 lbs. per jug, PACKED: 2 jugs per case 52.5 lbs. 30 Gallon Drum 270 Gallon Tote

NON-WARRANTY: The manufacturer disclaims all responsibility for damage to plants and equipment through the use of this product whether used in accordance with directions or not.